


ChromaPure Calibration Report


Technician: ChromaPure User

Company: ChromaPure Video Calibration Software

Grayscale Before



Grayscale After




Greyscale Before

% Stimulous	x	y	CCT	dE
20 %	0.252	0.258	18,017	41.0
30 %	0.254	0.254	18,808	43.5
40 %	0.258	0.258	16,679	40.7
50 %	0.262	0.263	14,787	37.3
60 %	0.265	0.269	13,499	34.1
70 %	0.270	0.274	12,271	31.1
80 %	0.272	0.278	11,564	28.6
90 %	0.275	0.284	10,750	25.5
100 %	0.278	0.287	10,239	23.4

Greyscale After

% Stimulous	x	y	CCT	dE
20 %	0.365	0.402	4,571	38.8
30 %	0.327	0.349	5,727	10.6
40 %	0.315	0.328	6,406	1.4
50 %	0.311	0.322	6,675	4.0
60 %	0.310	0.322	6,730	3.7
70 %	0.310	0.324	6,699	2.7
80 %	0.311	0.327	6,608	1.2
90 %	0.313	0.329	6,469	0.3
100 %	0.314	0.332	6,408	1.8




ChromaPure Calibration Report


Technician: ChromaPure User

Company: ChromaPure Video Calibration Software

Color Gamut Before



Color Gamut After



Color Gamut Before

Color	x	y	Y	Delta E
Red	0.644	0.339	3.613	3.3
Green	0.292	0.620	11.311	2.6
Blue	0.145	0.053	1.218	1.6
Yellow	0.436	0.553	15.160	6.5
Cyan	0.193	0.257	13.116	18.4
Magenta	0.271	0.130	5.171	6.3
White	0.274	0.305	16.973	18.9

Color Gamut After

Color	x	y	Y	Delta E
Red	0.657	0.342	3.177	9.2
Green	0.298	0.684	13.712	19.6
Blue	0.143	0.051	1.307	8.4
Yellow	0.459	0.531	10.929	7.8
Cyan	0.208	0.312	8.799	4.6
Magenta	0.322	0.156	4.170	5.3
White	0.314	0.332	12.001	1.5